

**Notice of Allowability**

Application No.

10/071,074

Applicant(s)

PAVLOVIC ET AL.

Examiner

Phylesha L. Dabney

Art Unit

2614

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/8/07.
2. ☒ The allowed claim(s) is/are 2-12.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

*caj*  
CONTINUED FROM P. 1  
U.S. PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20503

### **DETAILED ACTION**

This action is in response to the Appeal Brief received on 8 January 2007 in which claims 2-12 are pending.

#### ***Reasons For Allowance***

The following is an examiner's statement of reasons for allowance:

With respect to claims 1-12: the instant applicant is deemed to be directed to a nonobvious improvement over Pat Nos. 5,627,902 (Block) in view of 3,418,435 (Norris).

With respect to these claims 1-12, the prior art of record fails to teach an ear cup having an electrostatic microphone comprising: at least one electrostrictive element electrically connected to a second circuit, the second circuit being independent from the electrical contacting of the electrode and diaphragm, and further comprising: a controllable power supply for applying a predetermined voltage to the electrostrictive element for varying its dimension and in turn changing the spacing between the electrode and diaphragm which changes the acoustic properties of the electrostatic microphone, as substantially described and connected with the other functional language recited in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2614

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phylesha L. Dabney whose telephone number is 571-272-7494.

The examiner can normally be reached on Mondays, Wednesdays, Fridays 8:30-4 PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz can be reached on 571-272-7499. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


**Any response to this action should be mailed to:**  
Commissioner of Patents and Trademarks  
P O Box 1450  
Alexandria, VA 22313-1450

**Or faxed to:**  
(703) 273-8300, for formal communications intended for entry and for informal or draft communications, please label "Proposed" or "Draft" when submitting an informal amendment.

**Hand-delivered responses should be brought to:**  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

May 14, 2007  
PLD 

  
COMMUNICATIONS SECTION  
MAY 14 2007